

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:	)	
	:	Examiner: J. Brusca
HIROTO YOSHII ET AL.	)	
	:	Art Unit: 1631
Appln. No.: 10/805,292	)	
	:	Conf. No.: 9834
Filed: March 22, 2004	)	
	:	
For: DNA PROBE DESIGN DEVICE	)	
AND INFORMATION	:	
PROCESSING METHOD FOR	)	
DNA PROBE DESIGN	:	
	)	
U.S. Patent No.: 7,283,912 B2	:	
	)	
Issued: October 16, 2007	:	March 7, 2008

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

CERTIFICATE OF CORRECTION  
UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor

character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form is attached.

The amount of \$100.00 to cover the statutory fee for such Certificate of Correction is being paid concurrently; please charge any deficiency in the fee, and credit any overpayment, to Deposit Account 06-1205.

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

/Jason M. Okun/

Jason M. Okun

Attorney for Patentees

Registration No. 48,512

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
Facsimile: (212) 218-2200

FCBS\_WS 2024908v1

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 7,283,912 B2

DATED : October 16, 2007

INVENTOR(S) : HIROTO YOSHII ET AL.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 2:

Line 20, "steps-may" should read --steps may--.

COLUMN 4:

Line 41, "invention" should read --invention.--.

COLUMN 5:

Line 46, "may" should read --many--.

COLUMN 8:

Line 26, "base" (first occurrence) should be deleted.

COLUMN 9:

Line 24, "can" should read --can be--.

COLUMN 15:

Line 65, "sequences." should read --sequences)--.

COLUMN 16:

Line 23, "may be also be" should read --may also be--.

**MAILING ADDRESS OF SENDER:**

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,283,912 B2

No. of add'l. copies  
@ 30¢ per page



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 7,283,912 B2

DATED : October 16, 2007

INVENTOR(S) : HIROTO YOSHII ET AL.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 17:

Line 17, "hat" should read --that--; and

Line 36, "the from" should be deleted.

COLUMN 19:

Line 55, "method," should read --the method.--

COLUMN 22:

Line 34, "form" should read --from--.

COLUMN 77:

Line 55, "a" should read --an--.

COLUMN 78:

Line 49, "add" should read --adds--; and

Line 51, "display" should read --displays--.

**MAILING ADDRESS OF SENDER:**

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,283,912 B2

No. of add'l. copies  
@ 30¢ per page

